

RECLAMATION DISTRICT 900

LEEVE SLOPE MOWER

Specifications and Bid Sheet

The purpose of this specification is to provide one (1) new four-wheel drive implement carrier, with front and rear class 1 (front) & 2 (Rear) 3-point hitch and PTO and selected attachments (front mount flail mower).

The implement carrier shall be able to be used for a wide range of applications including, but not limited to: Flail mower, brush shredder, front mount broom, rotary mower.

BIDDER QUALIFICATIONS. All bidders must be licensed to sell and deliver vehicles in the state of California.

The bidder shall indicate an appropriate response on every line provided. This may be a “yes”, indicating complete compliance with this specification, a “no”, indicating a complete noncompliance with the specification, or a detailed description of any exception or deviation from the specification. Any omissions or misrepresentations will be justification to reject the entire bid.

CRITERIA FOR EVALUATION AND AWARD. The District evaluates three categories of information: responsiveness, responsibility, and price. All bids, regardless of the type of solicitation, must meet the following responsiveness and responsibility criteria.

- A. Responsiveness. The District will determine whether the bid complies with the instructions for submitting bids including completeness of bid, which encompasses the inclusion of all required attachments and submissions. The District must reject any bids that are submitted late. Failure to meet other requirements may result in rejection.
- B. Responsibility. The District will determine whether the bidder is one with whom it can or should do business. Factors that the District may evaluate to determine “responsibility” include, but are not limited to: excessively high or low priced bid, past performance, references (including those found outside the bid), compliance with applicable laws-including tax laws, bidders record of performance and integrity, has the bidder been delinquent or unfaithful to any contract with the District, whether the bidder is qualified legally to contract with the District, financial stability in the perceived ability to perform completely as specified. A Bidder must always have financial resources sufficient, in the opinion of the District, to ensure performance of the contract and must provide proof upon request. The District reserves the right to inspect and review Bidder’s facilities, equipment, personnel, and those of any identified subcontractors. The District will determine whether any failure to supply information, or the quality of the information, will result in a rejection.
- C. Price. The District will then evaluate the bids that have met the requirements above.

Dealer Name _____

Initials _____

WARRANTY. The vehicle purchased to these specifications shall include all standard manufacture warranties.

MANUALS. One (1) factory service manual CD covering all powertrain, drivetrain, powertrain control, emissions diagnosis, body, chassis, electrical components and wiring diagram of the vehicles purchased shall be included at the time of delivery.

If the CD manual is not available when the vehicle is delivered, a due bill must be included with the invoice.

ENGINE:

_____ 70+ horsepower at rated engine RPM, 4 cylinder, 4 stroke, water cooled, Turbo charged diesel engine. Tier 4 emissions

_____ Engine intake pre cleaner, with changeable dry type air cleaner cartridge.

_____ Single stage fuel filter system with drain valve.

_____ Horizontal discharge muffler

_____ Tip up radiator chafe collection hood.

_____ Infinitely variable hydrostatic drive, which can be changed under load, with automotive type control.

TRANSMISSION/ DRIVE:

_____ Multi-function drive lever for both forward and reverse drive and speed range.

_____ Hi/lo speed range, 25 mph in high and 7.5 mph in low. Infinitely variable.

_____ Four-wheel drive. Electro hydraulically shiftable (under load) front axle

Dealer Name _____

Initials _____

_____ Differentials front and rear axles, with “on the fly” locks.

_____ Independent PTO shaft operation, single dry plate clutch, front and rear.

_____ Front PTO, 570 RPM max. Clockwise rotation, 1-3/8/ 6 spline, engageable under load.

_____ Rear PTO, 590 RPM max, Clockwise rotation, 1-3/8/ 6 spline engageable under load.

_____ Front universal joint PTO drive shaft, complete with free wheel and protection.

_____ Four-wheel steering (hydrostatic) 14 foot turning radius

STEERING

_____ Independent steering axles, (no center articulation)

_____ Front wheel, rear wheel, four wheel and crab steer modes, engaged electro hydraulically.

AUXILIARY HYDRAULICS AND 3 POINT CARRIERS

_____ Hydraulic implement weight transfer, infinitely adjustable (front)

_____ Separate front and rear gauges and controls.

_____ Rear 3-point category 1 & 2 hitch.

_____ Front 3-point hitch, specialized category 1

_____ 2000 lbs. Capacity (rear)

_____ 2000 lbs. Capacity (front)

_____ Raise, lower, carry, float and weight transfer selectable functions.

_____ Lateral stabilizing screws (rear) and top link.

_____ Independent lifting arms with 4 inch range of crank adjustment (rear).

_____ Hydraulic activated side shift, front lift frame, 15 inches of travel.

Dealer Name _____

Initials _____

GENERAL:

_____ Noise suppression all round view rubber suspension pressurized cab with tinted glass.

_____ Flick open rear window.

_____ Removable door.

_____ High efficient heater/defroster with filter.

_____ Air conditioning with dust and particle filter.

_____ OECD approved roll guard.

_____ Wipomatic self-leveling seat with safety belt.

_____ Illuminated instrument dashboard.

_____ Hour meter.

_____ Fuel gauge.

_____ Water temperature gauge.

_____ Warning lights.

_____ Glow plugs.

_____ Front windshield wiper/washer.

_____ High/low beam headlights with removable mirrors.

_____ Operators horn.

_____ Tail/brake lights.

_____ Turn signals.

_____ Hand throttle.

_____ Floor accelerator pedal.

Dealer Name _____

Initials _____

- _____ Four-wheel brakes, hydraulic servo-foot pedal.
- _____ Mechanical park brake.
- _____ Keyed ignition and engine shut off.
- _____ Locking operator's cab.
- _____ 12-volt 100-amp alternator.
- _____ 100AH high-capacity battery.
- _____ Auxiliary hydraulics- 9.5 GPM.
- _____ Electronic solenoid hydraulic control valves.
- _____ Four quick hydraulic connectors (two circuits) at front and rear hitches for double acting cylinders.
- _____ Four 31x15.5x15 Terra tires. Four dual tires, 6.50 x 16

Dealer Name _____

Initials _____

PRICING

All standard features, all options listed in these specifications, all discounts, all delivery and destination charges, **sales tax** and all other applicable fees and taxes shall be included in bid price. Levee slope mower and attachments shall be delivered to: Reclamation District 900, 5000 Jefferson Blvd., West Sacramento, CA 95691.

BASE PRICE:

\$ _____ Levee Slope Mower

IMPLEMENTS:

\$ _____ Seppi SMWA Rev CF 225 cm, 89-inch front mount flail mower or equivalent

TOTAL COST (BASE PRICE + IMPLEMENTS):

\$ _____

Vendor's name and phone number: _____

Company representative's name: _____

Payment terms (not less than net 30 days): _____

I certify that this quote meets all specifications provided for this vehicle by Reclamation District 900. I have read and initialed each page of the bid specification.

Authorized Signature

Date

Dealer Name _____

Initials _____